

# CARECLEAN ECS SAFE

## **Odorless, non-emulsifying degreasing agent and non-conductive electro cleaner**

- Special degreasing agent for the removal of oil and grease from machines and motor parts, transmissions, ball bearings, gear wheels, metal parts, electrical components, etc.
- Odorless.
- Contains no chlorinated hydrocarbons or other harmful chemicals.
- Does not emulsify in water - the polluted oil can be separated by means of an oil/water separator.
- High flash point.

## **Application**

Careclean ECS Safe can be applied with a brush or by spraying the parts to be cleaned. This product can also be used by filling an immersion bath to clean extremely dirty parts. The high flash point and the fact that it is practically odorless makes Careclean ECS Safe a pleasant and problem free product.

## **Directions for use**

### **Immersion Baths**

Careclean ECS Safe is used undiluted and unheated in immersion baths. Put the parts to be cleaned in the bath and soak for several hours. Thereafter, take the parts out of the bath and spray off with a forceful waterjet.

Attention: parts that need to be rust free and dry (such as electrical components) should not be sprayed clean with water but with clean Careclean ECS Safe and afterwards should be blow-dried completely because of fire risk if residues are left behind.

### **General Cleaning**

For the cleaning of dirty parts and surfaces use Careclean ECS Safe undiluted. Moisten the parts to be cleaned thoroughly with the product. Depending on the measure of dirt, soak the product for 5 to 60 minutes, brush in between. After this, rinse thoroughly with water.

Attention: parts that need to be rust free and dry (such as electrical components) should not be sprayed clean with water, but with Careclean ECS Safe and afterwards should be blow dried completely to avoid fire risk.

### **Attention**

Cold cleaners should only be used in combination with oil/water separators.

To guarantee an optimal oil/water separation, cold cleaners should never be used with greater amounts of emulsifying cleaners (e.g. of High Pressure Cleaners) if the waste is passing oil/water separators.

### **Properties**

Clear, odourless, fluid neutral degreasing agent based on among other things, high boiling aliphatic hydrocarbon. Careclean ECS Safe evaporates without residue. Careclean ECS Safe can be used on most metals, synthetic material, rubber and hardened metals, electrical components.

Specific gravity (20° C) : 0.758

Flashpoint : 62° C

pH : 7

*For detailed information on safety and health, please refer to Material Safety Data Sheet and / or Product label.*

The details of our products are given completely free of undertaking. Since their application lies outside our control we cannot accept any liability for the results.